



NTP Workshop: Role of Environmental Chemicals in the Development of Diabetes and Obesity

Research Strategies and Key Data Needs (Group A)

Franck Mauvais-Jarvis (chair) Elizabeth Maull (rapporteur)

Crabtree Marriott Hotel

January 11-13, 20111



Research Strategy/Data Needs (Group A) Members

Habibul Ahsan, U Chicago	Josef Köhrle, Humboldt University (Berlin)
Scott Auerbach, NIH/NIEHS/NTP	Frank Mauvais-Jarvis, Northwestern (chair)
Kim Boekelheide, Brown U	Elizabeth Maull, NIH/NIEHS (rapporteur)
Joshua Edwards, Midwestern U	Raymond Novak, Shriners Hospital for Children International
Alison Holloway, McMaster U	Chirag Patel, Stanford
David Jacobs, U Minnesota	David Reif, US EPA
William Janzen, UNC – Chapel Hill	David Wallinga, Institute for Agriculture & Trade Policy

Research Needs

- Help assess causality/biological plausibility by characterizing mechanistic pathways
 - Establish endpoint/readout
 - Use genetic elimination (knock out mice, knock down cells)
 - Pharmacologic inhibition, if appropriate

Are there new research tools that need to be developed?

- More informative and reliable in vitro assays that will characterize intermediate phenotypes
 - Beta cell function, adipocyte biology (HTS, MTS)
- Inexpensive method for measuring EDC or other chemicals of interest in blood or urine
- Rapid reliable techniques to measure epigenetic modification
- Non-invasive detection devise for pre-diabetes